



Trading Symbol: SAO Stock Exchange: TSX Venture
Suite 1500 800 West Pender St Vancouver B.C. V6C-2V6
Ph 604-684-1782 Fax 604-408-9473
Toll Free 888-898-4788

<http://www.resourceexploration.com> December 8, 2005

ADIT RESULTS CONFIRM COPPER GOLD MOLYBDENUM

The Company is pleased to report on results from follow up sampling at the Neuquen Project, near Iquique, northern Chile. An area of copper, gold and molybdenum mineralization has been confirmed at various locations over a significant area contained within the project boundary. The Neuquen Project is the location of past copper production, with small scale shipments made to the local ENAMI smelter. Two adits on the project were sampled in an effort to define mineralization within the host rock.

Adit One is located 100 meters below recently completed trenching. Sample results are comprised of 9 - 5 meter chip samples for a total of 45 meters. All exploration activity was supervised by Paul Pelke, Project Manager and a Qualified Person as defined by National Policy 43-101. Samples were assayed at Chemex Laboratories, La Serena, Chile. Results are given below as total copper (%CuT), gold grams per tonne (Au) and molybdenum as parts per million (ppm Mo), for hand trenches comprised of five meter chip samples, and represent the entire trench sequence:

A1 averaged 0.34% CuT, 0.23 grams per tonne Au and 134 ppm Mo over 5 meters
A2 averaged 1.32% CuT, 1.075 grams per tonne Au and 114 ppm Mo over 5 meters
A3 averaged 1.83% CuT, 0.017 grams per tonne Au and 42 ppm Mo over 5 meters
A4 averaged 2.47% CuT, 0.035 grams per tonne Au and 89 ppm Mo over 5 meters
A5 averaged 0.08% CuT, 0.279 grams per tonne Au and 14 ppm Mo over 5 meters
A6 averaged 0.66% CuT, 0.112 grams per tonne Au and 206 ppm Mo over 5 meters
A7 averaged 0.20% CuT, 0.048 grams per tonne Au and 8 ppm Mo over 5 meters
A8 averaged 6.57% CuT, 0.05 grams per tonne Au and 69 ppm Mo over 5 meters
A9 averaged 0.52% CuT, 0.14 grams per tonne Au and 428 ppm Mo over 5 meters

The 45 meter sequence defined above averages 1.55% CuT, 0.221 grams per tonne Au and 123 ppm Mo.

Adit Two is located approximately 100 meters north of Adit One. Sample results are comprised of 3 meter chip samples, with a total of 17 samples taken over a 52 meter length. Two portions of the sample sequence are intruded by a post mineralization feature. Samples 1 to 3 averaged 0.32% Cu and 498 ppm Mo over nine meters. Samples 9 to 11 averaged 0.42 % Cu and 10 ppm Mo over nine meters. Gold values are pending. The Company has arranged for a D-8 bulldozer to be on site in January of 2006 to complete a mechanical trenching program for potential drill target definition.

On Behalf of the Board of Directors of Samba Gold Inc.

Adrian F.C. Hobkirk
President and Chief Executive Officer

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of the content of this press release. This press release contains certain “ forward-looking statements ” within the meaning of Section 21E of the United States Securities and Exchange Act of 1934, as amended. Except for statements of historical fact relating to the Company, certain information contained herein constitutes forward-looking statements. Forward-looking statements are based upon opinions and estimates of management at the date the statements are made, and are subject to a variety of risks and uncertainties and other factors which could cause actual results to differ materially from those project in the forward-looking statements. The reader is cautioned not place undue reliance on forward-looking statements.